Printing

05/07/2024 06:25:39



## Certificate of Analysis

Site / Address					
Almirall Hermal GmbH	Scholtzstrasse 3, 2140 Reinbek	65			
Product type	oduct type Product Code		Product Name		
Drug Product	60006001		Sililevo 5% Nail Lacq 6,6 ml DE		
Batch number	Batch size		Certificate Number	Manufacture Date	
346271	34499 UN		B-231109-124116	11/2023	
Parameter	Specification		Result	Units	
Appearance	clear liquid		clear liquid		
Colour	pale yellow		pale yellow		
Odour	characteristic		characteristic		
Homogeneity	homogeneous		homogeneous		
Particulate matter in the solution	essentially free from (precipitates or other observed on visual in	s) that can be	essentially free from particles (precipitates or others) that can be observed on visual inspection		
Density	0.94 - 0.97 at 20°C		0.95	g/ml	
Refractive index	1.360 - 1.370 at 20°C	;	1.367		
Compliance with FPV	meets requirements		meets requirements		
Compliance with the reference sample	in compliance		in compliance		
Labeling / packaging	meets requirements		meets requirements		
Total aerobic micr. count (TAMC	Not more than 10 <sup>2</sup> Cl	=U / g	Not more than 10 <sup>2</sup> CFU / g		
Total yeast/mould count (TYMC)	Not more than 10 <sup>1</sup> Cl	=U / g	Not more than 10 <sup>1</sup> CFU / g		
Absence of Staphylococcus aure	ence of Staphylococcus aureus Absent in 1 g		Absent in 1 g		
Absence of Pseudomonas aerug	inosa Absent in 1 g		Absent in 1 g		
Notes:	I				
Expiry Date: 11/2026					
Result	Approval Date	Approved by	Approved by		
RELEASED	02/01/2024 13:34:14		-Landré, QP Almirall Hermal GmbH rs, Quality Control Manager QC-F		
		Januia Lette	13, Quality Control Manager QC-F		