

28/10/2021 15:58:38



## Certificate of Analysis

Page 1 of 1

				1 490 1 01 1	
Analytical Laboratory Site					
Almirall Hermal GmbH	Scholtzstrasse 3, 2146 Reinbek	65			
Product type	Product Code		Product Name	Sample	
Bulk	98610501		Ecocel Lösung	S-211005-425676	
Dank	30010301		Ecocer Losuring	0 211003 420070	
Batch number	Batch size		Certificate Number	Manufacture Date	
98610501/14020	497 KG		B-211005-92577	12/10/2021	
Parameter	Specification		Result	Units	
Appearance	clear liquid		clear liquid		
Colour	pale yellow		pale yellow		
Odour	characteristic		characteristic		
Homogeneity	homogeneous		homogeneous		
Particulate matter in the solution	essentially free from (precipitates or others	particles	essentially free from particles (precipitates or others) that can be		
Density	observed on visual in 0.94 - 0.97 at 20°C	spection	observed on visual inspection 0.95	g/ml	
				3	
Refractive index	1.360 - 1.370 at 20°C	,	1.366		
Notes:			1		
110100.					
Valid to: 01/12/2021					
	Assessed D. (	1			
Result	Approval Date	Approved by	ro Quality Control Manager CC F		
Conforms	13/10/2021 13:14:00	Sandra Lette	dra Letters, Quality Control Manager QC-F		
		1			



29/11/2021 14:35:33



## Certificate of Analysis

Page 1 of 1

				r ago r or r		
Analytical Laboratory Site						
Almirall Hermal GmbH	Scholtzstrasse 3, 214 Reinbek	65				
Product type	Product Code		Product Name	Sample		
Drug Product	60006002		Sililevo 5% Nail Lacq 3,3 ml DE	S-211019-427672		
Batch number	Batch size		Certificate Number	Manufacture Date		
60006002/140203	47754 UN		B-211019-93145	12/10/2021		
	•					
Parameter	Specification		Result	Units		
Total aerobic micr. count (TAM)	Not more than 10 <sup>2</sup> C	FU/g	Not more than 10 <sup>2</sup> CFU / g			
Total yeast/mould count (TYMC	Not more than 10 <sup>1</sup> C	FU/g	Not more than 10 <sup>1</sup> CFU / g			
Absence of Staphylococcus aur	reus Absent in 1 g		Absent in 1 g			
Absence of Pseudomonas aeruginosa	Absent in 1 g		Absent in 1 g			
Notes:	<b>I</b>					
Expiry Date: 10.2024						
	Approval Date	Approved by				
Conforms	29/11/2021 11:05:50	Sandra Lette	Sandra Letters, Quality Control Manager QC-F			

Printing

29/11/2021 14:34:03



## Certificate of Analysis

Page 1 of 1

				rago ron r	
Analytical Laboratory Site					
Almirall Hermal GmbH	Scholtzstrasse 3, 214 Reinbek	165			
			1		
Product type	Product Code		Product Name	Sample	
Drug Product	60006002		Sililevo 5% Nail Lacq 3,3 ml DE	S-211019-427671	
Batch number	Batch size		Certificate Number	Manufacture Date	
60006002/140203	47754 UN		B-211019-93145	12/10/2021	
Parameter	Specification		Result	Units	
Compliance with FPV	meets requirements		meets requirements		
Labeling / packaging	meets requirements		meets requirements		
Compliance with the reference sample	in compliance		in compliance		
Sample					
Notes:	!			•	
Expiry Date: 10.2024					
Result	Approval Date	Approved by			
Conforms	29/11/2021 11:05:50	Sandra Lette	Sandra Letters, Quality Control Manager QC-F		